

Document Log Item

Addressing	
From	To
"Conlan, Linda" <Linda.Conlan@amec.com>	Carmen Santos/R9/USEPA/US@EPA
CC	BCC
Description Form Used: Memo	
Subject	Date/Time
PCBs: Former Pechiney Cast Plate Inc Facility - USEPA Conditional Approval Response	12/28/2010 04:47 PM
# of Attachments	Total Bytes
1	5,417,857
NPM	Contributor
Processing	
Comments	

Body

Document Body

Carmen;

Please find attached our response to U.S. EPA's Conditions C.2, C.3, C.5 and C.6 listed in the July 2, 2010 conditional approval letter. Included with the attached response summary are the following documents:

- Attachment 1 - Impact of Additional Soil and Concrete Characterization on Risk-Based Remediation Goals (Condition C.3.a). This document presents the findings of the recent concrete and soil testing outlined in the 2010 Sampling and Analysis Plan and an evaluation of potential human health risks associated with the dioxin-like PCB congener data.
- Revision to the Site-Specific Modeling for the Protection of Groundwater presented in Appendix C of the 2007 PCB Notification Plan Application (Condition C.3.d).
- A figure depicting a proposed Conceptual Interim Cap to be placed over the 4a/4b excavation areas (Condition C.3.e).

In addition, a preliminary grading plan outlined under Condition C.3.c. will be provided to U.S. EPA under separate cover. A hard copy of the attached response summary and documents will be mailed to your attention. Please give me a call to discuss, or if you need any additional information.

Regards,

Linda Conlan, PG

Principal Geologist

AMEC Geomatrix, Inc.
510 Superior Avenue, Suite 200
Newport Beach, CA 92663

Main: 949.642.0245 | **Direct:** 949.574.7083 | **Cell:** 949.355.3631 | **Fax:** 949.642.4474

E-mail: linda.conlan@amec.com

NOTICE: The information contained in (and attached to) this e-mail is intended only for the personal and confidential use of the designated recipient(s) named above. This message may be a consultant/client, attorney/client or attorney work product communication and as such is privileged and confidential. If the reader of this message is not the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution or copying of this message is strictly prohibited. If you received this communication in error, please notify us immediately by reply e-mail, and delete the original message (including attachments).

The information contained in this e-mail is intended only for the individual or entity to whom it is addressed. Its contents (including any attachments) may contain confidential and/or privileged information. If you are not an intended recipient you must not use, disclose, disseminate, copy or print its contents. If you receive this e-mail in error, please notify the sender by reply e-mail and delete and destroy the message.



- Pechiney Responses to EPA Conditions_122710.pdf